

## Micro lubricator | BGO



Image shows:  
92500.CC00





Image shows:  
92500.CC00


Service 3 unit

Service 2 unit


### flow characteristic



### lubricator operating limit



### symbol



Filter regulator

Filter

### technical data

- **description:** micro lubricator
- **medium:** compressed air, neutral gases
- **supply pressure P1 max.:** 12 bar
- **temperature range:** 0 - 50°C
- **bowl:** PC
- **mounting:** vertical
- **bowl volume lubricator:** 35 cm<sup>3</sup>
- **oil type:** CL 32 DIN 51517 - ISO VG 32
- **dome assembly:** PC
- **oil fill in:** cannot be filled with oil during operation

### accessories



- **mounting bracket:**  
[KBW.0-1225](#)



- **coupling kit wall mounting:**  
[KKOP.0W](#)

Pressure regulator

Lubricator

System extensions

Accessories

Special products

type	part-number	description	price (pre-tax)
KLUB-014	92500.CC00	Micro lubricator G1/4 with PC bowl	20.93 €
KLUB-014 M	92500.CC50	Micro lubricator G1/4 with metal bowl	25.58 €

# Lubricator | BG1

Service 3 unit

Service 2 unit



Image shows:  
92501.CC00





Image shows:  
92501.CC00


Filter regulator

Filter


### flow characteristic



### lubricator operating limit



### symbol



Pressure regulator

Lubricator

### technical data

- **description:** lubricator with automatic oil filling
- **medium:** compressed air, neutral gases
- **supply pressure P1 max.:** 16 bar
- **temperature range:** 0 - 50°C
- **bowl:** PC with PA bowl guard
- **mounting:** vertical
- **bowl volume lubricator:** 40 cm<sup>3</sup>
- **oil type:** CL 32 DIN 51517 - ISO VG 32
- **dome assembly:** PC
- **oil fill in:** can be oilpulling during operation

### accessories



- mounting bracket:  
[KBW.1-1225](#)



- coupling kit wall mounting:  
[KKOP.1W](#)

- electrical level indicator (version addition: N)

System extensions

Accessories

Special products

type	part-number	description	price (pre-tax)
KLUB-114	92501.CC00	Lubricator G1/4 with automatic oil filling, PC bowl and bowl guard	33.18 €
KLUB-114 H	92501.CC50	Lubricator G1/4 with automatic oil filling and metal bowl	55.48 €
KLUB-138	92501.DD00	Lubricator G3/8 with automatic oil filling, PC bowl and bowl guard	33.18 €
KLUB-138 H	92501.DD50	Lubricator G3/8 with automatic oil filling and metal bowl	55.48 €

## Lubricator | BG2



Image shows:  
92502.DD00




Image shows:  
92502.DD00

Service 3 unit

Service 2 unit

Filter regulator

Filter

Pressure regulator


Lubricator

System extensions


Accessories

Special products


### flow characteristic



### lubricator operating limit



### symbol



### technical data

- **description:** Lubricator with automatic oil filling
- **medium:** compressed air, neutral gases
- **supply pressure P1 max.:** 16 bar
- **temperature range:** 0 - 50°C
- **bowl:** PC with PA bowl guard
- **mounting:** vertical
- **bowl volume lubricator:** 80 cm<sup>3</sup>
- **oil type:** CL 32 DIN 51517 - ISO VG 32
- **dome assembly:** PC
- **oil fill in:** can be oilpulling during operation

### accessories



- **mounting bracket:**  
[KBW.2-1225](#)



- **coupling kit wall mounting:**  
[KKOP.2W](#)

- **electrical level indicator**  
(version addition: N)

type	part-number	description	price (pre-tax)
KLUB-238	92502.DD00	Lubricator G3/8 with automatic oil filling, PC bowl and bowl guard	50.25 €
KLUB-238 H	92502.DD50	Lubricator G3/8 with automatic oil filling and metal bowl	78.12 €
KLUB-212	92502.EE00	Lubricator G1/2 with automatic oil filling, PC bowl and bowl guard	50.25 €
KLUB-212 H	92502.EE50	Lubricator G1/2 with automatic oil filling and metal bowl	78.12 €

## Lubricator | BG4

Service 3 unit

Service 2 unit



Image shows:  
92504.FF00





Image shows:  
92504.FF00


Filter regulator

Filter


### flow characteristic



### lubricator operating limit



### symbol



Pressure regulator

Lubricator

### technical data

- **description:** lubricator with automatic oil filling
- **medium:** compressed air, neutral gases
- **supply pressure P1 max.:** 16 bar
- **temperature range:** 0 - 50°C
- **bowl:** PC with PA bowl guard
- **mounting:** vertical
- **bowl volume lubricator:** 181 cm<sup>3</sup>
- **oil type:** CL 32 DIN 51517 - ISO VG 32
- **dome assembly:** PC
- **oil fill in:** can be oilpulling during operation

### accessories



- **mounting bracket:**  
[KBW.4-1225](#)



- **coupling kit wall mounting:**  
[KKOP.4W](#)

- **electrical level indicator**  
(version addition: N)

System extensions

Accessories

Special products

type	part-number	description	price (pre-tax)
KLUB-434	92504.FF00	Lubricator G3/4 with automatic oil filling, PC bowl and bowl guard	95.38 €
KLUB-434 H	92504.FF50	Lubricator G3/4 with automatic oil filling and metal bowl	126.97 €
KLUB-41	92504.GG00	Lubricator G1 with automatic oil filling, PC bowl and bowl guard	95.38 €
KLUB-41 H	92504.GG50	Lubricator G1 with automatic oil filling and metal bowl	126.97 €